

From: Kelley Chase/R3/USEPA/US
Sent: 4/10/2012 8:25:43 PM

To: "Gilberto Irizarry" <Irizarry.Gilberto@epamail.epa.gov>; "carney.dennis@epa.gov" <carney.dennis@epa.gov>; "heston.gerald@epa.gov" <heston.gerald@epa.gov>; Richard Fetzer

CC:

Subject: Fw: Dimock Residential Ground Water Sampling - Week #3 Toxicologist Reports

Per the attached e-mail, the week #3 toxicologist reports were just sent to the HQs EU.

Thank you - Kelley

----- Forwarded by Kelley Chase/R3/USEPA/US on 04/10/2012 08:22 PM -----

From: Kelley Chase/R3/USEPA/US

To: eoc_environmental_unit@epa.gov

Cc: loven.Dawn@epamail.epa.gov, Robert Helverson/R3/USEPA/US@EPA, Lora Werner/R3/USEPA/US@EPA, Karl V Markiewicz <markiewicz.karl@epa.gov>

Date: 04/10/2012 08:19 PM

Subject: Dimock Residential Ground Water Sampling - Week #3 Toxicologist Reports

Attached please find PDFs of the Toxicologist Reports for the 17 locations sampled during Week #3 (2/6/12 - 2/10/12). The DRAFT Residential Reports were sent earlier. The "tox" reports include additional information (e.g. lab qualifiers, MDLs, QLS, RLS) to assist in the tox review which is not included in the residential reports.

Also attached is a chart of MDLs for the VOCs and SVOCs which are reported down to the MDL (and lower if mass spectra are a good match).

I have also included a spreadsheet listing the trigger levels established, to date.

Please feel free to contact me with any questions and/or if you need additional info.

Thank you - Kelley

[attachment "VOC and SVOC MDLs.xlsx" deleted by Kelley Chase/R3/USEPA/US] [attachment "Updated 3-27-12 - TriggerLevels .xlsx" deleted by Kelley Chase/R3/USEPA/US]

[attachment "HW-54.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-15a.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-16.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-21.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-22.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-23.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-30.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-31.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-36.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-38.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-43.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-44.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-45.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-47.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-48.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-49.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-51.pdf" deleted by Kelley Chase/R3/USEPA/US]